## Amendments to the Claims

These claims will replace all prior versions, and listings, of claims in the application:

- 1. (currently amended) <u>A method Method</u> for storing broadcast contents, comprising:
- where pre-defining a plurality of content categories (KAT1, KAT2) is pre-defined;
- where <u>defining</u> each of the content categories (KAT1, KAT2) are <u>defined</u> by at least one content descriptor <del>(OB1, OB2);</del>
- where receiving broadcast contents[[,]] transmitted over at least
  one broadcast transmission channel, are received;
- where <u>automatically assigning the</u> received broadcast contents, described by a content descriptor <del>(OB1, OB2)</del>, are automatically assigned to a content category <del>(KAT1, KAT2)</del> which is defined by the corresponding content descriptor <del>(OB1, OB2)</del>;
- [[-]] and where automatically storing the broadcast contents
  assigned to a content category (KAT1, KAT2) and the assignments of
  the broadcast contents to the corresponding content categories
  (KAT1, KAT2) are automatically stored.
- 2. (currently amended) A The method according to claim 1, further comprising

- where <u>assigning</u> a storage address <del>(SPE1, SPE2) is assigned</del> to each of the content categories <del>(KAT1, KAT2)</del>, and where the broadcast contents assigned to a content category <del>(KAT1, KAT2) are being</del> automatically stored according to the storage address <del>(SPE1, SPE2)</del> assigned to the corresponding content category <del>(KAT1, KAT2)</del>.
- 3. (currently amended) A The method according to any of the preceding claims 1, where quantitative information about the stored broadcast contents is shown, broken down according to content categories (KAT1, KAT2).
- 4. (currently amended) A The method according to claim 3, wherein where a pre-allocated storage capacity (7, 8) is allotted to each content category (KAT1, KAT2), and the degree to which the pre-allocated storage capacity is occupied is shown.
- 5. (currently amended) A The method according to any of the preceding claims 1, wherein where the received broadcast contents, described by a logical combination of several content descriptors (OB1, OB2), are automatically assigned to the content category (KAT1, KAT2) defined

by the corresponding logical combination of several content descriptors  $\frac{\text{(OB1, OB2)}}{\text{.}}$ 

- 6. (currently amended) A The method according to any of the preceding claims laim 1, wherein where the broadcast contents, transmitted over a plurality of broadcast channels, are received simultaneously.
- 7. (currently amended) A The method according to any of the preceding claims claim 1, wherein where at least one of the beginning and/or and the end of a broadcast content is transmitted as an accompanying signal with the broadcast content.
- 8. (currently amended) A The method according to any of the preceding claims laim 1, wherein where the content descriptors (OB1, OB2) are transmitted as accompanying signals with the broadcast contents.
- 9. (currently amended) A The method according to any of the preceding claimsclaim 1, wherein

where information about the broadcast contents, assigned to the content category (KAT1, KAT2), are is automatically shown to the user upon selection of the content category (KAT1, KAT2).

- 10. (currently amended) A broadcast content storage system, comprising: (100)
- with at least one receiver (1, 2) for receiving broadcast contents transmitted over a broadcast channel;

   with a storage unit (6) for storing broadcast contents; and

   with a processing unit (5) which is configured in such a way that the received broadcast contents, described by a content descriptor, (OB1, OB2) are automatically assigned to a content category (KAT1, KAT2) defined by the corresponding content descriptor (OB1, OB2); and that the broadcast contents assigned to a content category (KAT1, KAT2) are automatically stored in the storage unit (6) under allocation to the corresponding content category. (KAT1, KAT2),
- 11. (currently amended) A The broadcast content storage system (100) according to claim 10, further comprising

with a display unit (13) for displaying quantitative information regarding the stored broadcast contents, broken down according to content categories (KAT1, KAT2).

- 12. (currently amended) <u>A control Control</u> module  $\frac{(12)}{(12)}$  for a broadcast content storage system  $\frac{(100)}{(100)}$  according to claim  $\frac{10}{100}$  comprising
- with a query interface (9) to the broadcast content storage system (100) for requesting quantitative information regarding the stored broadcast contents, broken down according to content categories (KAT1, KAT2) and
- $\frac{13}{2}$  with a display unit  $\frac{13}{13}$  for displaying quantitative information regarding the stored broadcast contents, broken down according to the corresponding content categories  $\frac{13}{13}$ .
- 13. (currently amended) The control Control module (12) according to claim 12, comprising
- $\frac{14}{14}$  for user selection of a stored broadcast content or a content category (KAT1, KAT2),
- [[-]] and with a selection interface (10) to the broadcast content
  storage system (100) for transferring information regarding the
  user selected broadcast content or content category (KAT1, KAT2).

14. (currently amended) The control Control module (12) according to claim 12, comprising or 13

— with a content transfer interface (11) to the broadcast content storage system (100) for transferring a selected broadcast content or broadcast contents of a selected content category (KAT1, KAT2) to a local broadcast storage (15).